
RENSA ANTI-MOULD

protection against mildew

PRODUCT TYPE

RENSA ANTI-MOULD kills mildew, lichen and algae growth from external surfaces of buildings. It is easy to spray on e.g. tile and felt roof, stone paving, brick wall or fence and let the growth be removed by the effects of weather. RENSA ANTI-MOULD disinfects the surface and gives a long-term protection.

USAGE

RENSA ANTI-MOULD can be used on all constructional surfaces, which endure cleaning with water: wood, concrete, bitumen sheet, plaster etc. and old painted surfaces. It works extremely well on porous surfaces where it gets to absorb in, e.g. concrete roof tiles and paving tiles, bitumen roofing felt, plaster, press-impregnated wood.

RENSA ANTI-MOULD can also be used together with RENSA FACADE facade cleaner on pre-treating badly mildew growth contaminated surfaces before they are repainted.

RENSA ANTI-MOULD is environmentally friendly and biodegradable. It meets the requirements by OECD and by the Detergent regulation of European Parliament and the Council on detergents for biodegradability (OECD 301B, EC 648 / 2004).

TECHNICAL DATA**pH**

abt. 10

Dilution

For surface protection and pre-treating before painting: 1 : 5 (1 litre of detergent to 5 litre of water)
For very dirty/mildewed surfaces: 1 : 2

Spreading rate

Abt. 30 m² / 1 l undiluted detergent.
Absorption of the surface, dirtiness, air humidity etc. factors affect considerably on the spreading rate.

Packages
(availability varies by country)

1 L, 5 L

SAFETY MARKINGS

See Safety Data Sheet.

DIRECTION FOR USE

Dilute RENSA ANTI-MOULD with water depending on the purpose of its use:
For surface protection and pre-treating before painting: 1 : 5 (1 litre of detergent to 5 litres of water)
For very dirty/mildewed surfaces: 1 : 2.

Mildew protection

Remove loose dirt and other matter from the surface by e.g. brushing.
Apply protection against mildew to the surface to be cleaned by using e.g. a brush or low-pressure spray (so-called garden spray). Do not rinse. Weathering actions, wind and rain will remove dead and dried growth.

Pre-treating surfaces before painting

Wet the porous and absorbing surfaces with water before cleaning.
Apply protection against mildew to the surface to be cleaned by using e.g. a brush or low-pressure spray (so-called garden spray). Let it act for abt. 2 days. After that wash the surface with RENSA FACADE facade cleaner.

Protection

RENSA ANTI-MOULD is an efficient, but environmentally friendly and biodegradable product.

However, using the protection against mildew must be followed with a reasonable caution. Avoid skin contact and breathing the spray mist. **Protect eyes from splashes.** More information from product's Material Safety Data Sheet: www.teknos.fi

The protection against mildew may harm garden plants – avoid splashing. Plants can be covered or wetted with water before the treatment.

Detergent does not harm the most common building surfaces, but avoid unnecessary splashing.

ADDITIONAL INFORMATION MUST NOT FREEZE.

The information of this data sheet is based on laboratory tests and practical experience. The figures are for guidance only and depend on, for example, colour and gloss. As we have no control over the use and application conditions, we are only responsible for the quality of the product and guarantee that it conforms to our quality control. We accept no liability for any loss or damage resulting from the application of the product contrary to the directions or the intended use. The latest versions of our data sheets, material safety data sheets and system sheets are on our home pages www.teknos.com.



FI_1984_Tuoteseloste.pdf